REPORT DOCUMENTATION PAGE

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
01/05/2015	Journal Article	Jan 2004 – Sept 2014

4. TITLE AND SUBTITLE

At the Crossroads of Nanotoxicology: Past Achievements and Current Challenges

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

Saber M. Hussain[*], David B. Warheit[†], Sheung P. Ng[†], Kristen K. Comfort[‡], Christin M. Grabinski[*], and Laura K. Braydich-Stolle[*]

5d. PROJECT NUMBER
OAFW

5e. TASK NUMBER
P0

5f. WORK UNIT NUMBER
04/H04T

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

[*]Molecular Bioeffects Branch, Human Effectiveness Directorate, Air Force Research Laboratory, Wright-Patterson Air Force Base, OH, 45433 USA

[†]DuPont Haskell Global Centers for Health and Environmental Sciences, Newark DE, 19714 USA

[‡]Department of Chemical and Materials Engineering, University of Dayton, Dayton, OH, 45469 USA

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Materiel Command
Molecular Bioeffects Branch
Bioeffects Division
Human Effectiveness Directorate
711th Human Performance Wing
Air Force Research Laboratory
Wright-Patterson AFB OH 45433-5707

10. SPONSOR/MONITOR'S ACRONYM(S)
711 HPW/RHDJ

11. SPONSORING/MONITORING AGENCY REPORT NUMBER

AFRL-RH-WP-JA-2015-0017

12. DISTRIBUTION AVAILABILITY STATEMENT Distribution A: Approved for public release; distribution unlimited. (PA Case No. 88ABW-2015-1783; date cleared 07 Apr 2015)

13. SUPPLEMENTARY NOTES

14. ABSTRACT
The exponential growth in the employment of nanomaterials (NMs) and the subsequent need to evaluate their safety have given rise to the field of nanotoxicology; which examines the cellular consequences following exposure to nano-sized particles. Initial nanotoxicological studies were limited by a lack of both available materials and accurate biodispersion characterization tools; however, the years that followed were marked by the development of enhanced capabilities on both the synthesis techniques and characterization technologies. In fact, these established NM-based tools and techniques are now standard practice for the evaluation of NM properties and their solution behavior. Paralleling advances in characterization, modifications of physical parameters, such as size, morphology, or coating, were able to individually influence the depth of NM-dependent physiological response studies. As such, a major research focus to date has been on the development of correlations between toxicological effects and specific particle original exposure and their biodynamic characteristics. While great strides have been made to advance the field, nanotoxicology is currently at a crossroads and faces a number of unique obstacles and technical limitations, such as the full descriptive requirements and standardization of dosimetry and its correlation to true exposures, rates of dissolution, surface modification dynamics for assuring to establish safety exposure limits. This review will discuss both the progress and future directions of nanotoxicology: highlighting key previous research successes and identifying challenges facing the field today.

15. SUBJECT TERMS
Nanotoxicology, Characterization, Physicochemical Parameters, Safety Regulation, Dosimetry, *In vitro* models

16. SECURITY CLASSIFICATION OF: U			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON S. Hussain
a. REPORT U	**b. ABSTRACT** U	**c. THIS PAGE** U	SAR	12	19b. TELEPONE NUMBER (Include area code) NA

CONTEMPORARY REVIEW

At the Crossroads of Nanotoxicology *in vitro*: Past Achievements and Current Challenges

Saber M. Hussain[*,1], David B. Warheit[†], Sheung P. Ng[†], Kristen K. Comfort[‡], Christin M. Grabinski[*] and Laura K. Braydich-Stolle[*]

[*]Molecular Bioeffects Branch, Human Effectiveness Directorate, Air Force Research Laboratory, Wright-Patterson Air Force Base, Ohio 45433; [†]DuPont Haskell Global Centers for Health and Environmental Sciences, Newark Delaware, 19714; and [‡]Department of Chemical and Materials Engineering, University of Dayton, Dayton, Ohio, 45469

[1]To whom correspondence should be addressed at Molecular Bioeffects Branch, Human Effectiveness Directorate, Air Force Research Laboratory, Wright-Patterson Air Force Base, Ohio 45433. E-mail: saber.hussain@us.af.mil

ABSTRACT

The exponential growth in the employment of nanomaterials (NMs) has given rise to the field of nanotoxicology; which evaluates the safety of engineered NMs. Initial nanotoxicological studies were limited by a lack of both available materials and accurate biodispersion characterization tools. However, the years that followed were marked by the development of enhanced synthesis techniques and characterization technologies; which are now standard practice for nanotoxicological evaluation. Paralleling advances in characterization, significant progress was made in correlating specific physical parameters, such as size, morphology, or coating, to resultant physiological responses. Although great strides have been made to advance the field, nanotoxicology is currently at a crossroads and faces a number of obstacles and technical limitations not associated with traditional toxicology. Some of the most pressing and influential challenges include establishing full characterization requirements, standardization of dosimetry, evaluating kinetic rates of ionic dissolution, improving *in vitro* to *in vivo* predictive efficiencies, and establishing safety exposure limits. This Review will discuss both the progress and future directions of nanotoxicology: highlighting key previous research successes and exploring challenges plaguing the field today.

Key words: nanotoxicology; characterization; physicochemical parameters; safety regulation; Dosimetry; *in vitro* models

Recent advances in material science have resulted in the creation of particles in the nano-scale range. However, years of research in this field, coupled with technological advances, have brought about a transformation in nanomaterial (NM) synthesis capabilities (Guo and Wang, 2013). The unique physicochemical properties associated with engineered NMs, including primary size, core composition, morphology, porosity, surface chemistry, and reactivity, differentiate them from their bulk counterparts and make NMs attractive for use in commercial and scientific applications (Kessler, 2011; Salata, 2004). Currently over 1600 consumer products are on the market that incorporate NMs, with applications spanning energy, electronic, medical, commercial, industrial, and research sectors. However, one considerable drawback associated with NM-based applications is the unintentional, and sometimes detrimental, cellular consequences that can occur following NM exposure (Oberdörster et al., 2005a). Due to this cytotoxic potential, the safety of NMs should be thoroughly assessed prior to their inclusion in nano-based consumer products and technologies.

The critical need to assess the safety of NMs and identify their cellular responses have given rise to the field of nanotoxicology, which has now been in existence for over a decade (Oberdörster et al., 2005a). During this time, the field has grown tremendously, matured, and made substantial progress

in elucidating potential health hazards associated with NM exposure in a physiological environment (Love *et al.*, 2012; Nel *et al.*, 2006). The observed cellular reactions associated with NM exposure have identified a differential response that can be directly linked to their distinct physicochemical parameters (Podila and Brown, 2013; Sharifi *et al.*, 2012); demonstrating that minute changes in NM properties can alter subsequent behavior and cellular interactions. Although nanotoxicology has seen some revolutionary accomplishments, certain critical areas require attention and key challenges must be overcome to ensure continued advancement.

This milestone provides an excellent opportunity to look back at the last decade of nanotoxicology, celebrate the firm establishment of the field, evaluate the foremost research accomplishments, and diagnose current barriers. Major areas highlighted include the research initiative to link specific physicochemical properties to a resultant bioeffect, the development of enhanced NM characterization tools, and the generation of standardized protocols and reference materials. Moreover, this Review explores current challenges unique to nanotoxicology, such as developing accurate toxicological and characterization assessments, arriving at a consensus on the best dosimetry metric, improving *in vitro* models, and the lack of occupational exposure guidelines for NMs. Through addressing these obstacles, we believe, nanotoxicology will firmly cement its future research directions and ensure continued development.

THE RISE OF NANOTOXICOLOGY

In 2005, the International Life Sciences Institute Research Foundation/Risk Science Institute assembled a working group of experts with the goal of assessing the current state of NM toxicological knowledge and generating guidelines for the progression of this newfound field (Oberdörster *et al.*, 2005a). This working group established the original mission of screening for 'hazard identification' following NM exposure, and shaped the next few years of fundamental research which evaluated the toxic potential of simple nano-constructs, such as metal oxides and carbon structures (Braydich-Stolle *et al.*, 2005; Hussain *et al.*, 2005; Oberdörster *et al.*, 2005b). Another major result of the 2005 expert panel was that the primary routes of NM exposure were agreed upon and identified as oral, dermal, inhalation, and injection (Oberdörster *et al.*, 2005a), which drove the focus of *in vitro* and *in vivo* model selection to accommodate these areas of higher NM exposure.

Most importantly, this panel recognized that slight differences in physicochemical properties could elicit a unique bioresponse and led the call for NM characterization techniques and standard procedures. Initial challenges were faced in modifying standard characterization and toxicological procedures to account for the distinctive attributes associated with engineered NMs, such as their insoluble nature and agglomeration tendencies (Oberdörster *et al.*, 2005b; Hussain *et al.*, 2009). However, the initial hazard assessment, development of fundamental characterization tools, and recognition of appropriate cellular models established a solid framework for future innovation and the ability to accommodate more advanced engineered NMs.

ADVANCES IN CHARACTERIZATION TECHNIQUES

Due to the fact that NMs possess distinctive physicochemical properties in comparison to their bulk counterparts, developing advanced characterization procedures is necessary to accurately capture and quantitatively assess these parameters. To address that challenge, characterization equipment was developed and procedures optimized to monitor key NM properties, both as acquired stock materials and in biologically relevant environments. Nanotoxicology has helped drive this characterization revolution through the call for standardized procedures and in-depth assessment prior to inclusion in nano-based applications (Bouwmeester *et al.*, 2011; Warheit, 2008). However, even though characterization techniques have progressed greatly over the past decade, further improvements are necessary to accommodate newly developed and more advanced classes of NMs.

Initial NM Characterization

As no 2 batches of NMs contain identical physicochemical characteristics, extensive characterization has become a necessary practice following synthesis. Standard particle-based parameters evaluated during characterization include primary size, shape, surface charge, porosity, composition, and structure (Murdock *et al*, 2008; Richman and Hutchison, 2009; Sapsford *et al.*, 2011). From these material assessment values, other critical information can be ascertained including particle surface area, degree of agglomeration, and size distribution; all of which can influence cellular interactions. Several classes of equipment are critical in effectively characterizing NMs, including microscopy, spectroscopy, spectrometry, and light scattering devices. NM characterization techniques and measures are the focus of a number of review articles (Baer *et al.*, 2010; Lin *et al.*, 2013; Sayes and Warheit, 2009).

Evaluating the Nano-Cellular Interface

Full characterization goes beyond initial evaluation of specific NM physicochemical properties and includes assessing the degree and means of interaction with the surrounding cellular system; commonly referred to as the 'nano-cellular interface' (Nel *et al.*, 2009). Developing advanced and accurate ways to characterize the nano-cellular interface has posed a considerable challenge; however, advances have been made to identify intracellular fate and NM behavior *in vitro*. Experimental endpoints for interface evaluation include deposition efficiency, rates of NM internalization, final cellular location, degree of intracellular agglomeration, visualization of NM-cell binding patterns, and development of the protein corona (Table 1). These interactions have been strongly correlated to observed cytotoxicity, stress responses, and gene modulation (Wu *et al.*, 2013); making this interface a critical research focus. For example increased deposition efficiency directly correlates to the delivered NM dosage and resultant cytotoxicity (Cohen *et al.*, 2014). Similarly, studies have demonstrated that increased NM internalization leads to augmented cell stress and cell death (DeBrosse *et al.*, 2013; Dowding *et al.*, 2013). Moreover, it has recently emerged that the protein corona surrounding NMs is 'what the cell sees' and not only dictates the formation of the nano-cellular interface, but influences membrane interactions, deposition, mechanism of endocytosis, and stress reactions (Gunawan *et al.*, 2014; Monopoli *et al.*, 2012). Therefore, it is clear that characterizing the nano-cellular interactions is a critical step in the development of a fundamental understanding of nanotoxicology.

Current Characterization Challenges

To keep pace with the rapid development of synthesis and to expand understanding of NM behavior, new characterization

TABLE 1. Characterization Tools for the Nano-Cellular Interface

Behavior/Property	Tool	Reference
Deposition efficiency	ICP-MS	Mitrano et al. (2012)
Internalization	ICP-MS, TEM	Mitrano et al. (2012)
Cellular location	Microscopy, TEM	Braydich-Stolle et al. (2012)
Intracellular agglomeration	TEM, Hyperspectral Imaging	Stacy et al. (2013)
NM-binding Patterns	Microscopy	Darwiche et al. (2013)
Protein corona	MS, SDS-PAGE	Winzen et al. (2015)

tools and procedures need to be established. First, it would be advantageous to modify current standards, such as dynamic light scattering (DLS) and transmission electron microscopy (TEM), in order to perform with a higher sensitivity and in a more relevant, biological environment. Additionally, the presence of inter-particle interactions, which strongly influence NM behavior, are well documented and are known to be dependent on multiple factors, such as charge, surface moieties, core composition, particle concentration, and environmental factors (Min et al., 2008; Nel et al., 2009). Although complex thermodynamic models have been developed to predict these interactions as a function of inter-particle distance, no equipment exists to quantitatively and reliably assess these quantum forces.

One major limitation of assessments of the nano-bio interface is that they only record one moment in time. As this interface is a dynamic, ever-changing entity, these snapshots only provide a glimpse of how NMs interact within a cellular system and not a complete portrayal of their behavior (Alkilany et al., 2013). Therefore, we believe, that to truly elucidate the multifaceted relationship between a physiological environment and NMs, enhanced, real time imaging techniques will need to be developed that can accommodate particles on the nano-scale. Expanding characterization mechanisms introduces the potential to generate new information that is currently impossible to ascertain with regards to both inter-particle and the nano-cellular interfaces.

UNIQUE CHALLENGES ASSOCIATED WITH THE NATURE OF NMs

As NMs possess distinctive physicochemical properties, establishing and validating metrics for toxicological analysis has encountered several technical challenges. Although traditional toxicology has well-established protocols in place (Derelanko and Auletta, 2014), the translation of these practices to nanotoxicology are typically less effective and yield greater experimental error, in part due to their insoluble nature which generates altered transport and toxicokinetic profiles. The following section of this Review highlights 2 of these current challenges: the need for standardizing analytical protocols and consideration for the sub-classification of carbon- and metal-based NMs.

Modification and Standardization of Toxicity Protocols
During evaluation, the use of standard toxicity assays for NMs may produce erroneous results due to interference arising from NM behavioral patterns including, an insoluble nature (Kumar et al., 2012), the ability to agglomerate (Liu et al., 2011), particle sedimentation (Cho et al., 2011), unique forms of uptake and retention (Shete et al., 2014), and the formation of a protein corona (Gunawan et al., 2014). For example, NMs have been shown to interfere with the

standard 3-(4,5-dimethylthiazol-2-yl)-2,5diphenyltetrazo-lium bromide viability assay, producing unreliable data unless additional controls are in place (Laurent et al., 2012). The acknowledgement of this problem demonstrates the need to design, agree upon, and establish a standardized set of protocols specific for nanotoxicology, in order to increase the applicability and reliability of current and future efforts. The need for protocol reform has been acknowledged, with a number of international initiatives currently underway to research and optimize procedures for nanotoxicological evaluation (Love et al., 2012; Oomen et al., 2014).

Carbon Versus Metal NMs: Different Classes of Particles— Different Behavior
Further complicating the generation of standardized protocols is the fact that different classes of NMs, such as carbon-based versus metallic, behave dramatically different. Carbon nanotubes (CNTs) and metallic NMs are renowned for their intrinsic properties of high tensile/mechanical strength and exceptional thermal/electrical conductivity, respectively (Hopley et al., 2014; Matejka and Tokarsky, 2014). The usage rate of CNTs is growing exponentially with applications including composites, paints, polymer films, and microelectronics (De Volder et al., 2013). Nanotoxicological evaluation of CNTs is further hindered by dispersion and stability issues (Bouchard et al., 2012). As shown in Figure 1, while CNTs and metallic NMs both possess dimensions on the nano-scale, they display dramatically different physical traits, which result in fundamental differences in NM behavior, the nano-cellular interface, and resultant bioeffects. For example, both metallic NMs and CNTs induce the production of reactive oxygen species (ROS); however, exposure to metal NMs leads to apoptosis while CNTs produce inflammation and fibrosis (Manke et al., 2013). Increased apprehension over health concerns surrounds CNTs owing to increased biological persistence and non-degradability, similar to asbestos (Aschberger et al., 2010). On the contrary, the primary concern associated with metal NMs is their rapid dissolution into ions, which disrupts cellular functions (Khan et al., 2012; Maurer et al., 2014). Currently, even more complex novel materials are being produced which have incorporate nanocarbon and nanometals, further complicating bio-exposure responses (Poulsen et al., 2015; Zhang and Wang, 2007).

CORRELATING PHYSICOCHEMICAL PARAMETERS TO CYTOTOXICITY

From early nanotoxicological assessments, it became clear that cellular responses were strongly dependent on specific NM physicochemical properties (Podila and Brown, 2013; Sharifi et al., 2012). Although the identification of this phenomenon was straightforward, the elucidation of these unique correlations has presented a major challenge. Advances in material science have allowed for the precise synthesis of NMs with tunable target parameters, including primary particle size,

FIG. 1. Comparing the properties of CNTs and metallic NM. TEM images of (A) CNTs and (B) gold nanospheres, demonstrate the fundamental differences in the physical property of these classes of NMs. From these images the fundamental differences in structure are apparent, even though both are classified as NMs. These discrepancies are responsible for the differential responses observed following cellular exposure.

morphology, core material, and surface coatings, allowing for direct comparison. A succinct summary of what is currently known concerning target NM properties is presented in Figure 2. As the correlation of properties to toxicological outcomes is a critical area, there are a number of reviews focusing on this area (Aillon *et al.*, 2009; Fubini *et al.*, 2010; Rivera *et al.*, 2010).

Size
Primary particle size is arguably the most critical property pertaining to a nanotoxicological response, as it significantly influences both the mode and extent of cellular interaction. Previous studies have identified that the form of endocytosis, extent of NM internalization, and final intracellular fate are all dependent on particle diameter (Jiang *et al.*, 2008). Focusing specifically on cytotoxicity, the majority of studies have arrived at a similar conclusion: that smaller particles induce a higher degree of cell death (Haase *et al.*, 2011; Hsiao and Huang, 2011; Sohaebuddin *et al.*, 2010). Moreover, these results were mirrored by a size-dependent increase in ROS generation, loss of mitochondrial integrity, and increased secretion of pro-inflammatory cytokines. However, some exceptions have been noted, including zinc oxide, with no change in toxicity seen when NMs are compared with the micron sized counterpart (Warheit *et al.*, 2007).

Surface Chemistry
As a NM's surface coating is the driving force for both inter-particle interactions and formation of the nano-cellular interface, surface chemistry regulates the mechanism of cellular contact, degree of NM internalization, and resultant cytotoxicity (Chen *et al.*, 2011). As different surface moieties possess distinctive charges, numerous studies have examined the role of NM surface charge in cytotoxicity and stress responses. These studies have identified that positively charged NMs, independent of composition, are more efficiently internalized and generate an augmented toxic response over negatively and neutrally charged particles (Bhattacharjee *et al.*, 2010; Yu *et al.*, 2012; Zhu *et al.*, 2012). Efforts to elucidate a correlation between a specific surface chemistry and target bioeffects are currently underway, but the results are not as clear-cut as seen with charge. Currently, surface functionalization does not directly predict cytotoxicity, but many of the adverse NM implications can be mitigated or removed through coating processes.

For example, surface chemistry influences the ionic dissolution rate (Bhattacharjee *et al.*, 2010), the kinetics of cellular internalization (Untener *et al.*, 2013), and observed particle stability, and behavior (Suntivich *et al.*, 2013). Due to these responses, surface modification is being explored as a means to elicit target bioeffects and ensure biocompatibility.

Composition
Although the addition of various surface coatings has been investigated to mask the influence of internal NM composition, the degree and mechanism of cytotoxicity can still be traced back to a NM's elemental core (Sohaebuddin *et al.*, 2010). Innate cytotoxic properties, the ability to disrupt chemical and biological molecule processes, and kinetic rates of ionic dissolution are all factors highly dependent on core material (Chang *et al.*, 2012; Hussain *et al.*, 2005). In general, these investigations identified certain elements, including Cu, Zn, Co, Ag, Ni, and Cd, as more cytotoxic than others, such as Au, Ti, and Fe. Recent reports have further explored the mechanism behind this composition dependent toxicity and identified a primary cause of death to be an augmentation of oxidative stress induced by the generation of ions from the NM surface (Xia *et al.*, 2008).

Morphology
Current nanotoxicology research efforts are focused on linking NM shape to a biological outcome. The knowledge gap pertaining to morphological dependence is because the ability to uniformly and consistently synthesize NMs of target shapes was only recently developed. Although a number of studies are beginning to emerge, there still exist a number of technical challenges and conflicting reports to consider before this effect can be fully clarified. It has been shown that spherical particles are internalized to a higher degree, in less time, and requiring less energy than rod or fiber shaped particles (Champion and Mitragotri, 2006). However, while nanorods may display reduced rates of cellular internalization, their larger contact area results in greater membrane and receptor interaction, which introduces a new set of unique cellular consequences to be explored (Lu *et al.*, 2010). For copper oxide NMs, the rate of ionic dissolution and degree of cytotoxicity varied between spherical, rod, and platelet morphologies (Misra *et al.*, 2014). As new NM morphologies are continually emerging, the dynamic, developing correlations between geometric shape and bioeffects

FIG. 2. Key physicochemical parameters of NMs and a summary of the current state of knowledge on how these properties influence nanotoxicity. Cellular responses are known to be dictated by specific NM properties. The most predominantly investigated include primary size, charge, surface chemistry, core composition, and morphology.

will be of tremendous importance for the design of nano-based applications.

MECHANISMS OF CYTOTOXICITY

In addition to identifying the NM properties that induce cytotoxicity, current investigations are underway to evaluate the mechanisms behind these responses. Results of these inquiries have found that excess production of stress response and modifications to protein and gene expression precedes cellular death (Carlson *et al.*, 2008; Nel *et al.*, 2006). Recent examinations have extended beyond stress and cytotoxicity to include the activation of immune and inflammatory reactions, modifications to gene regulation, alterations to protein expression and production rates, and alterations to signal transduction; all of which have been shown to be directly impacted by NM exposure (Braydich-Stolle *et al.*, 2010; Comfort *et al.*, 2011). For example, NM exposure resulted in altered cellular response to epidermal growth factor signal transduction, producing modified cellular behavior (Comfort *et al.*, 2011). In addition to activation of the stress response and production of stress-dependent proteins, NM exposure has resulted in modified gene regulation, in the areas of stress, toxicity, signal transduction, disease regulation (Comfort *et al.*, 2014a; Ng *et al.*, 2015; Sharifi *et al.*, 2013). The dramatic alteration to genetic and protein profiles have been shown to alter the phenotype and basal functionality of the cellular systems; demonstrating the far-reaching implications of non-toxic NM exposure. These pathways combine to generate a multi-layered cellular response that the scientific community is only beginning to piece together.

NM STANDARDS AND OCCUPATIONAL GUIDELINES

Generation of NM Standard Materials

The generation of NM reference standards was recently accomplished by the National Institute of Standards and Technology (NIST), with these standards serving as a benchmark for material comparison and method validation. Owing to the variability introduced by the physical and reactive properties of NMs, this was a tremendous achievement. In addition to undergoing a high degree of technical material scrutiny, these standards were specifically selected and designed to address current research needs, barriers to innovation, and utilization in nano-based applications. To date, the library of NIST nano-sized reference materials consists of polystyrene spheres of 60 and 100 nm, Au nanospheres of 10, 30, and 60 nm (Fig. 3), single wall CNTs, and 25 nm TiO_2, with Ag, CeO_2, and SiO_2 currently under evaluation.

Establishment of a Risk Assessment Framework

One utilization of standard materials is in the establishment of regulatory and occupational exposure limits (OELs), which are set in place by agencies such as OSHA and the National Institute for Occupational Safety and Health (NIOSH). Currently, limited occupational guidelines are established for NMs; however, due to the reactivity and energetic behavior of NMs their OELs will likely be orders of magnitude lower than their bulk counterparts. For example, nano-sized TiO_2 has a permissible exposure limits of $0.3 \, mg/m^3$, whereas in bulk form that limit is $15 \, mg/m^3$ (NIOSH, 2011). Several factors have contributed to this regulatory lag, including poor characterization, variable NM characteristics, irrelevant dosages and cell models, and conflicting reports on bio-responses. Taken together, these variations and limitations have made it unfeasible to set regulatory limits for NMs with any degree of confidence (van Broekhuizen *et al.*, 2012). However, in an effort to inform consumers, a Nanorisk framework was published in 2007 which described the development of a systematic process to assess environmental health and safety risks associated with exposures to products containing nanoscale materials (www.nanoriskframework.com).

Furthermore, a workshop was recently conducted to improve the development and evaluation of OELs for engineered NMs (Gordon *et al.*, 2014). Given the limited amount of available data in this area, one focus of this workshop was to identify current practices for establishing OELs from various stakeholders in an attempt to develop novel and alternative approaches. Based upon comparative results of intratracheal instillation studies with TiO_2 NMs, a bridging approach that incorporated subchronic and long-term studies was suggested as a means to estimate OELs (Warheit, 2009). Following the conclusion of this workshop, the major outcomes were made available to the scientific community, including a summary of the findings of bridging strategies for OEL development, and the identified future research areas (Warheit, 2013).

PRESENT CHALLENGES

Throughout this Review, we have touched upon several contemporary limitations facing the field of nanotoxicology. For

FIG. 3. Representative TEM images of NIST nanogold reference materials of primary particle size A, 10 nm; B, 30 nm; C, 60 nm. The development of standardized NMs is of great advantage to nanotoxicology, as it provides a benchmark material with well-documented physicochemical characterization and detailed biological responses following exposure.

example, we discussed the challenges with NM characterization and the need for advanced assessment tools which are accurate at lower concentrations and in a physiologically relevant fluid. Additionally, even though the development of toxicity protocols has greatly progressed, particle interference and unique challenges associated with NMs, remains a leading cause of erroneous results and conflicting conclusions. The limitations brought on through characterization and analysis challenges have severely restricted the ability to establish OELs for most NMs. These are all areas that we anticipate significant forward progress to be made in the near future.

Recently, the National Academy of Sciences Committee emphasized the critical need for development of reliable and validated screening tools to elucidate toxicity pathways of complex systems and address mechanistic issues (National Research Council, 2013). Accordingly, a current challenge is the design of simple, *in vitro* models that reliably predict *in vivo* effects following a NM challenge. In order to increase the relevance of *in vitro* studies, current study experimental design protocols require development of a new and expanded framework to include the following: (1) rigorous NM characterization and estimation of behavior throughout the life-cycle; (2) dose-response behavior at relevant human exposure levels, applied with appropriate dosemetrics; (3) selection of cell models that accurately reflect routes of NM exposure; (4) time course assessments that span from acute to chronic durations; and (5) utilization of proper benchmark controls to improve interpretation of study outcomes. Finally, to address this long-term goal, it will be critical to develop high throughput *in vitro* screening mechanisms that integrate relevant exposure routes, plausible NM dosages, and appropriate *in vivo* comparisons for validation. Therefore, the following sections will focus on the major challenges of implementing a NM dosimetry metric and improving *in vitro* to *in vivo* correlations.

The Question of NM Dosimetry

Even though numerous nanotoxicological studies have been published, development of well-characterized NM dosimetry remains a controversial topic. The fundamental rule in toxicology is that the magnitude of a biological response directly correlates with dose and time; meaning with high enough concentrations everything can be toxic (Johnston *et al.*, 2013). Therefore, understanding NM dosimetry is critical for properly interpreting results and developing NM risk assessments and OELs. Dosimetry parameters under consideration include target

dose, exposure methodology, dose characterization, and dose metric. Proper terminology and consistency in experimental design is essential to avoid misconception and to generate reproducible results. For example, in *in vitro* studies, the term dose describes the quantity of NMs that reaches the biological target, whereas the expressions, treatment or exposure are more appropriate to describe the amount initially input into the system.

The selection and standardization of a dose metric has been widely debated; with possible dosing approaches including mass, surface area, and particle number. Currently, many studies employ dosimetry based on a mass per volume concentration, such as $\mu g/ml$, which introduced inconsistencies when results are compared across different cell culture conditions. However, many have presented data to argue that for NMs, the most appropriate metric for comparing biological effects is based on equivalent, exposed surface area (Duffin *et al.*, 2007; Donaldson *et al.*, 2008; Monteiller *et al.*, 2007; Waters *et al.*, 2009). Although there is no standard metric agreed upon by the community as a whole, it is safe to conclude that each metric must be characterized or calculated, so this information is available as the nanotoxicology field continues to develop. Moreover, it is also critical that NM exposure concentrations, regardless of dosimetry metric, be normalized by the total surface area of cells or tissue.

When designing a nanotoxicological study, the target dose and exposure range must be carefully considered and take into account both real world concentrations and available dosimetry models. The deposition efficiency, or the fraction of NMs expected to reach the target of interest is a critical variable for experimental consideration. NM and chemical dosimetry are fundamentally different due to the modified transport potential and gradients associated with the insoluble nature of NMs. This fact greatly increasing the complexity of predicting and estimating the delivered dose following a NM challenge. Traditional *in vitro* models require NMs to be dispersed in biological media which induces agglomeration and adsorption of biomolecules (Grabinski *et al.*, 2011; Lundqvist *et al.*, 2008; Mukhopadhyay *et al*, 2012); resulting in modification to the diffusive and sedimentation forces and overall transport of the NMs (Cho *et al.*, 2013; Teeguarden *et al.*, 2007). A recent study demonstrated more predictable dosimetry using and inverted exposure scenario, in which NMs were only deposited through diffusion, thus removing the variable of agglomerate density and sedimentation (Cho *et al.*, 2011). Although this approach

verified the presence of inconsistencies introduced by NM agglomerates, this set-up is not feasible for all cellular type evaluation. An alternate approach to reduce sedimentation is to introduce NMs to a cell culture under dynamic flow conditions, which results in diffusion-driven deposition of NMs (Toy *et al.*, 2011; Ucciferri *et al.*, 2014).

In vitro systems should also be optimized to represent a target exposure route, as this will affect dosimetry and resultant deposition metrics. For example, NMs exposed through an inhalation method occurs in the gas phase, therefore, an appropriate *in vitro* model to mimic inhalation should deliver NM aerosols to cells grown at an air-liquid interface. Due to the small size and low mass of nano-sized aerosols, designing exposure systems for dosing cells grown at the air-liquid interface has presented a unique challenge (Aufderheide, 2005). However, with the use of an external force, such as electric field or temperature gradient, air-liquid interface chambers which maintain optimal cell conditions have been successfully generated, thus allowing for an environment that more accurately mimics a physiological lung exposure scenario (Grigg *et al.*, 2009; Saffari *et al.*, 2012; Volckens *et al.*, 2009).

Great progress has been made in both understanding and predicting NM dosimetry through the theoretical *in vitro* Sedimentation and Diffusion Deposition (ISDD) model (Hinderliter *et al.*, 2010; Khanbeigi *et al.*, 2012). Assumptions in the ISDD mathematical model include a static upright system, spherical NM morphology, and uniform agglomerate size and density. Agglomerate density is approximated from an assumed fractal dimension, which is a dimensionless number describing the packing density of NMs. As limited techniques are currently available for measuring the fractal dimension of NM agglomerates in biological media, it is necessary to validate these theoretical estimations by measuring the NM dose. In addition to the success of the ISDD system, other models are being developed and implemented, such as the Multiple-Path Particle Dosimetry model, which specializes in approximating inhalation dosimetry and deposition (Cassee *et al.*, 2002).

Even beyond the challenges already presented, dosimetry is further complicated by additional situations uniquely associated with NMs. For example, soluble/semi-soluble NMs, such as copper and silver, readily oxidize and release ions over time introducing a second means of interaction with the cells (Comfort *et al.*, 2014b). Characterizing the rate of ion release and effective ion and NM exposure rates has becomes essential for nanotoxicological studies (Han *et al.*, 2012). Moreover, correlating *in vitro* to *in vivo* dose poses a considerable challenge as degree of agglomeration and behavior of NMs varies significantly between cell culture media and physiologically fluids (Maurer *et al.*, 2014). By altering the properties and behavior of NMs, these environmental-specific discrepancies will undoubtedly affect both NM transport rate to a target tissue or organ and received dose. Taking all these NM-dependent variables under consideration is not surprising that the establishment of dosimetry standards and exposure guidelines have presented major obstacles. Regardless of the many challenges inherently associated with NM dosimetry, a key takeaway message from this Review is that experimental designs must include detailed dosimetry and characterization aspects in order to support further progress towards goals in nanotoxicology and developing risk assessment frameworks.

Transitioning from Validated In Vivo to In Vitro Studies

When assessing the influence of a NM on a physiological system, the most accurate and predictive data will of course be obtained through *in vivo* analysis. However, several intrinsic drawbacks are associated with the utilization of *in vivo* models, including high cost, extended duration, ethical concerns, and an inability for high-throughput processing. Due to these constraints, as well as the sheer number of particles that require screening, *in vitro* assessment is currently the primary means of evaluating the safety and behavior of NMs (Arora *et al.*, 2012). However, to date the validity of *in vitro* analyses remains disputable due to a considerable gap between collected *in vitro* data and accurate *in vivo* predictions (Han *et al.*, 2012; Rushton *et al.*, 2010; Sayes *et al.*, 2007). Extensive work has been performed on the material side to improve this correlation through more efficient and reproducible synthesis procedures; however, a NM-based approach to this problem is contingent upon the yet unresolved question of dosimetry (Zhang *et al.*, 2012). *In vitro* models remain critical to the field of nanotoxicology, and are necessary to serve as a quick-screening procedure of shorter duration to assess immediate hazards associated with the continuous generation of new, innovative classes of NMs. Contrary to focusing on the material side of this challenge, we believe that significant progress on overcoming this correlation gap can be achieved through enhancement of the *in vitro* model design and exposure techniques.

Perhaps one of the most significant decisions for *in vitro* studies is the relevance of the cell model under investigation. Many NM studies have been performed on cell lines that are not representative of a primary NM route of exposure or even significant secondary targets such as liver of kidney models. Owing to the fact that tissues and organs are multicellular by nature, include immune system elements, have 3 spatial dimensions, and exist within a number of different and complex physiological fluids, perhaps the best way to bridge the *in vitro* to *in vivo* gap is to design cell models that are closer in nature to tissue/organ systems. System modifications can be introduced in order to achieve a more relevant *in vitro* model, including the development of co-culture models that incorporate proper immune cell lines (Braydich-Stolle *et al.*, 2010; Kasper *et al.*, 2011), design of 3D cellular systems (Hoelting *et al.*, 2013; Kim *et al.*, 2010), inclusion of physiological relevant fluids (Braydich-Stolle *et al.*, 2014; Comfort *et al.*, 2013), and extended durations to evaluate chronic exposure (Comfort *et al.*, 2014a). Not only does the introduction of these modifications bring an *in vitro* model closer to an *in vivo* system, but they allow for the evaluation of NM behavior and characterization as a function of time in a more realistic physiological environment. For example in a 3D culture, cellular exposure to NMs is predominantly dependent upon the transport capabilities of the particles into the cellular mass; similar to nano-sized objects traveling throughout a body (Hoelting *et al.*, 2013; Kim *et al.*, 2010). Moreover, when dispersed in biological fluids, as opposed to media, NMs were found to behave substantially different with modified agglomeration tendencies, rates of ionic dissolution, and cellular internalization (Braydich-Stolle *et al.*, 2014; Comfort *et al.*, 2013). Although each of these cell model modifications has been successfully utilized, the incorporation of these new variables each introduces unique challenges. Furthermore, there simply exist some *in vivo* scenarios that are impossible to perfectly replicate in a cellular model. When transitioning from primary cell types collected from animals to immortalized cells derived from cell lines, it requires considerations including the cell ratio in a co-culture and their biological functionality in simulating the relevant defense responses such as phagocytosis and inflammation. Therefore, the design and implementation of an enhanced cellular microenvironment that encompasses all

these elements, while possible, is a major undertaking and will require considerable time and resources to not only generate but optimize.

As previously discussed, designing an *in vitro* system to mimic exposure routes will improve both dosimetry and toxicity predictions. As inhalation is one of the primary routes of NM introduction, the development of an accurate exposure mechanism would provide better *in vitro* to *in vivo* correlations. Lung exposure is of great interest as previous studies have demonstrated a lack of clearance following inhalation, suggesting long term nanotoxicological implications may be a major concern (Moller *et al.*, 2008). During inhalation, particles remain dispersed in air, and arrive at the alveoli without encountering a fluid. Therefore, traditional 'submerged' cell culture and exposure systems would fail to accurately capture this exposure route and introduce extreme variability as NMs incur significant alterations to their characteristics and behavior in solution (Liu *et al.*, 2011; Murdock *et al.*, 2008). To overcome this challenge, scientists have designed aerosol chambers to expose cell cultures at the air-liquid interface which feeds cells from underneath of the supporting microporous membrane and allows deposition of airborne NMs in a conditioned environment, thus more accurately mimicking lung exposure scenarios. Multiple laboratories have built aerosol exposure chambers or modified commercially-available chambers based on needs, including particle type, size, dosage, gravimetric/electrostatic deposition capabilities, and toxicological endpoints (Huh *et al.*, 2010; Jeannet *et al.*, 2015; Xie *et al.*, 2012). However, as these exposure chambers can be highly specific in design and in operating procedures, reproducible, and quantifiable dose metrics are critical for particle deposition assessments and for comparisons of results. Furthermore, current NM literature-consists primarily of acute exposure studies with a limited set of endpoints. To truly elucidate NM behavior and resultant consequences in a biological system, these time points need to be carried out on a longer time scale. Once cell-based systems have been optimized to incorporate these fundamental parameters, a profound increase in the predictive capability of *in vitro* system should transpire.

Design of High-Throughput In Vitro Models for Nanotoxicological Evaluation

As previously discussed, new and novel classes of engineered NMs are being exponentially produced. Furthermore, to truly evaluate the safety of NMs, a large number of experimental analyses must be carried out, including cytotoxicity, stress activation, immune response, modulation of protein and gene production, and characterization of the nano-cellular interface. Examining these 2 statements together, it becomes apparent that to keep up with the pace of NM development and fully identify safety concerns, a rapid, high-throughput screening approach is needed (Macarron *et al.*, 2011). Due to the time constraints associated with *in vivo* experimentation, a high-throughput design for NM evaluation must utilize an *in vitro* model (Arora *et al.*, 2012). To ensure that a developed, high-throughput system can be accurately extrapolated to *in vivo* predictions, it should contain variables to improve basic cell models, as previously discussed in this Review. One emerging technology for rapid assessment of NMs is an engineered microfluidic chip with perfused chambers that incorporates cellular models (Valencia *et al.*, 2012; Watson *et al.*, 2014). Due to the ability to engineer key design aspects, such as the simulation of cell to cell interactions, the introduction of dynamic flow, the ability to apply cell patterning, the addition

of porous substrates, and the option to incorporate 3D growth, microfluidic devices have been shown to simulate a more relevant physiological environment than standard *in vitro* cultures (Bhataia and Ingber, 2014); potentially offering a forward direction for the rapid safety evaluation of NMs.

CONCLUSIONS

Nanotoxicology has witnessed some truly revolutionary advances that resulted in a vast transformation of the field in recent years. Investigations now go well beyond the early question of 'Do NMs induce a cytotoxic response?' and focus on the mechanisms behind these cellular implications and modifications to the biological system in the absence of cellular death. New synthesis and characterization technique standards have made it possible to correlate specific physicochemical properties to observed responses, investigate the behavior and interactions of NMs in a cellular environment, and allow for the generation of reference materials. However, amidst this progress, major limitations are still plaguing the field today. Future efforts should focus on the continued improvement of characterization and synthesis to ensure the highest degree of uniformity within a NM set, the establishments of dosimetry guidelines and procedures, the improvement of cell-based models to improve behavior and evaluation, and the generation of risk assessment metrics for nano-size materials. With new innovative resources continually arising, we are confident that these challenges will not only be met with resolve, but overcome, bringing about continuing transformations and advancements in the coming decade of nanotoxicology research.

REFERENCES

Aillon, K. L., Xie, Y., El-Gendy, N., Berkland, C. J., Forrest, M. L. (2009) Effects of nanomaterial physicochemical properties on *in vivo* toxicity. *Adv. Drug Delivery Rev.* **61**, 457–466.

Alkilany, A. M., Lohse, S. E., and Murphy, C. J. (2013) The gold standard: Gold nanoparticle libraries to understand the nano-bio interface. *Acc. Chem. Res.* **46**, 650–661.

Arora, S., Rajwade, J. M., and Paknikar, K. M. (2012) Nanotoxicology and *in vitro* studies: the need of the hour. *Toxicol. Appl. Pharmacol.* **258**, 151–165.

Aschberger, K., Johnston, H. J., Stone, V., Aitken, R. J., Hankin, S. M., Peters, S. A. K., Tran, C. L., and Christensen, F. M. (2010) Review of carbon nanotubes toxicity and exposure –

appraisal of human health risk assessment based on open literature. *Cri. Rev. Toxicol.* **40**, 759–790.

Aufderheide, M. (2005) Direct exposure methods for testing native atmospheres. *Exp. and Toxicol. Pathol.* **57**, 213–226.

Baer, D., Gaspar, D. J., Nachimuthu, P., Techane, S. D., and Castner, D. G. (2010) Application of surface chemistry analysis tools for characterization of nanoparticles. *Anal. Bioanal. Chem.* **396**, 983–1002.

Bhatia, S. N. and Ingber, D. E. (2014) Microfluidic organs-on-chips. *Nat. Biotechnol.* **32**, 760–772.

Bhattacharjee, S., de Haan, L. H. J., Evers, N. M., Jiang, X., Marcelis, A. T. M., Zuilhof, H., Rietjens, I. M., and Alink, G. M. (2010) Role of surface charge and oxidative stress in cytotoxicity of organic monolayer-coated silicon nanoparticles toward macrophage NR8383 cells. *Part. Fibre Toxicol.* **7**, 25.

Bouchard, D., Zhang, W., Powell, T., and Rattanaudompol, U. (2012) Aggregation kinetics and transport of single-wall carbon nanotubes at low surfactant concentrations. *Environ. Sci. Technol.* **46**, 4458–4465.

Bouwmeester, H., Lynch, I., Marvin, H. J. P., Dawson, K. A., Berges, M., Braguer, D., Byrne, H. J., Casey, A., Chamber, G., Clift, M. J. D., *et al.* (2011) Minimal analytical characterization of engineered nanomaterials needed for hazard assessment in biological matrices. *Nanotoxicology* **5**, 1–11.

Braydich-Stolle, L., Hussain, S., Schlager, J. J., and Hofman, M. C. (2005) *In vitro* cytotoxicity of nanoparticles in mammalian germline stem cells. *Toxicol. Sci.* **88**, 412–419.

Braydich-Stollle, L. K., Speshock, J. L., Castle, A., Smith, M., Murdock, R. C., and Hussain, S. M. (2010) Nanosized aluminum altered immune function. *ACS Nano* **4**, 3661–3670.

Braydich-Stolle, L. K., Castle, A. B., Maurer, E. I., and Hussain, S. M. (2012) Advantages of using imaged-based fluorescent analysis for nanomaterial studies. *Nanosci. Meth.* **1**, 137–151.

Braydich-Stolle, L. K., Breitner, E. K., Comfort, K. K., Schlager, J. J., and Hussain, S. M. (2014) Dynamic characteristics of silver nanoparticles in physiological fluids: toxicological implications. *Langmuir* **30**, 15309–15316.

Carlson, C., Hussain, S. M., Schrand, A. M., Braydich-Stolle, L. K., Hess, K. L., Jones, R. L., and Schlager, J. J. (2008) Unique cellular interaction of silver nanoparticles: size-dependent generation of reactive oxygen species. *J. Phys. Chem. B* **112**, 13608–13619.

Cassee, F. R., Muijser, H., Duistermaat, E., Freijer, J. J., Geerse, K. B., Marjinissen, J. C., and Arts, J. H. (2002) Particle size-dependent total mass deposition in lungs determines inhalation toxicity of cadmium chloride aerosols in rats. Applications of a multiple path dosimetry model. *Arch. Toxicol.* **76**, 277–286.

Champion, J. A. and Mitragotri, S. (2006) Role of target geometry in phagocytosis. *Proc. Nat. Acad. Sci. U.S.A.* **103**, 4930–4934.

Chang, Y. N., Zhang, M., Xia, L., Zhang, J., and Xing, G. (2012) The toxic effects and mechanisms of CuO and ZnO nanoparticles. *Materials* **5**, 2850–2871.

Chen, L., Mccrate, J. M., Lee, J., and Li, H. (2011) The role of surface charge on the uptake and biocompatibility of hydroxyapatite nanoparticles with osteoblast cells. *Nanotechnology* **22**, 105708.

Cho, E. C., Zhang, Q., and Xia, Y. (2011) The effect of sedimentation and diffusion on cellular uptake of gold nanoparticles. *Nat. Nanotechnol.* **6**, 385–391.

Cho, E. J., Holback, H., Liu, K. C., Abouelmagd, S. A., Park, J., and Yeo, Y. (2013) Nanoparticle Characterization: State of the Art, Challenges, and Emerging Technologies. *Molec. Pharm.* **10**, 2093–2110.

Cohen, J. M., Teeguarden, J. G., and Demokritou, P. (2014) An integrated approach for the *in vitro* dosimetry of engineered nanomaterials. *Part. Fibre Toxicol.* **11**, 20.

Comfort, K. K., Maurer, E. I., Braydich-Stolle, L. K., and Hussain, S. M. (2011) Interference of silver, gold, and iron oxide nanoparticles on epidermal growth factor signal transduction in epithelial cells. *ACS Nano* **5**, 10000–10008.

Comfort, K. K., Speltz, J. W., Stacy, B. M., Dosser, L. R., and Hussain, S. M. (2013) Physiological fluid specific agglomeration patterns diminish gold nanorod photothermal characteristics. *Adv. Nanopart.* **2**, 336–343.

Comfort, K. K., Braydich-Stolle, L. K., Maurer, E. I., and Hussain, S. M. (2014a) Less is more: long term *in vitro* exposure to low levels of silver nanoparticles provides new insights for nanomaterial evaluation. *ACS Nano* **8**, 3260–3271.

Comfort, K. K., Maurer, E. I., and Hussain, S. M. (2014b) Slow release of ions from internalized silver nanoparticles modifies the epidermal growth factor signaling response. *Coll. Surf. B. Biointerfaces* **123**, 136–142.

Darwiche K., Zarogoulidis, P., Krauss, L., Oezkan, F., Walter, R. F., Werner, R., Theegarten, D., Sakkas, L., Sakkas, A., Hohenforst-Schmidt, W., Zarogoulidis, K., and Freitag, L. (2013) "One-stop shop" spectral imaging for rapid on-site diagnosis of lung cancer: a future concept in nano-oncology. *Int. J. Nanomedicine* **8**, 4533–4542.

DeBrosse, M. C., Comfort, K. K., Untener, E. A., Comfort, D. A., and Hussain, S. M. (2013) High aspect ratio gold nanorods displayed augmented cellular internalization and surface chemistry mediated cytotoxicity. *Mater. Sci. Eng. C.* **33**, 4094–4100.

De Volder, M. F. L., Tawfick, S. H., Baughman, R. H., and Hart, A. J. (2013) Carbon nanotubes: present and future commercial applications. *Science* **339**, 535–539.

Derelanko, M. J., and Auletta, C. S. (2014) Handbook of Toxicology, 3rd ed. CRC Press, Boca Raton.

Donaldson, K., Borm, P. J. A., Oberdörster, G., Pinkerton, K. E., Stone, V., and Tran, C. L. (2008) Concordance between *in vitro* and *in vivo* dosimetry in the proinflammatory effects of low-toxicity low-solubility particles: The key role of the proximal alveolar region. *Inhal. Toxicol.* **20**, 53–62.

Dowding, J. M., Das, S., Kumar, A., Dosani, T., McComack, R., Gupta, A., Sayle, T. X. T., Sayle, D. C., von Kalm, L., Seal, S., and Self, W. T. (2013) Cellular internalization and toxicity depend on physicochemical properties and surface modification of redox-active nanomaterials. *ACS Nano* **7**, 4855–4868.

Duffin, R., Tran, L., Brown, D., Stone, V., and Donaldson, K. (2007) Proinflammogenic effects of low-toxicity and metal nanoparticles *in vivo* and *in vitro*: Highlighting the role of particle surface area and surface reactivity. *Inhal. Toxicol.* **19**, 849–856.

Fubini, B., Ghiazza, M., and Fenoglio, I. (2010) Physico-chemical features of engineered nanoparticles relevant to their toxicity. *Nanotoxicology* **4**, 347–363.

Gordon, S. C., Butala, J. H., Carter, J. M., Elder, A., Gordon, T., Gray, G., Sayre, P. G., Schulte, P. A., Tsai, C. S., and West, J. (2014) Workshop report: strategies for setting occupational exposure limits for engineered nanomaterials. *Regul. Toxicol. Pharmacol.* **68**, 305–311.

Grabinski, C., Schaeublin, N., Hamad-Schifferli, K., and Hussain, S. (2011) Effect of gold nanorod surface chemistry on cellular interactions *in vitro*. *ACS Nano* **5**, 2870–2879.

Grigg, J., Tellabati, A., Rhead, S., Almeida, G. M., Higgins, J. A., Bowman, K. J., Jones, G. D., and Howes, P. B. (2009) DNA

damage of macrophages at an air-tissue interface induced by metal nanoparticles. *Nanotoxicology* **3**, 348–354.

Gunawan, C., Lim, M., Marquis, C. P., and Amal, R. (2014) Nanoparticle-protein corona complexes govern the biological fates and function of nanoparticles. *J. Mat. Chem. B* **2**, 2060–2083.

Guo, S. J. and Wang, E. K. (2013) Noble metal nanomaterials: Controllable synthesis and applications in fuel cells and analytical sensors. *Nano Today* **6**, 240–264.

Haase, A., Tentschert, J., Jungnickel, H., Graf, P., Mantion, A., Draude, F., Plendl, J., Goetz, M. E., Galla, S., Masic, A., Thuenemann, A. F., Taubert, A., Arlinghaus, H. F., and Luch, A. (2011) Toxicity of silver nanoparticles in human macrophages: uptake, intracellular distribution and cellular response. *J. Phys. Conf. Ser.* **304**, 012030.

Han, X., Corson, N., Wade-Mercer, P., Gelein, R., Jiang, J., Sahu, M., Biswas, P., Finkelstein, J. N., Elder, A., and Oberdörster, G. (2012) Assessing the relevance of *in vitro* studies in nanotoxicology by examining correlations between *in vitro* and *in vivo* data. *Toxicology* **297**, 1–9.

Hinderliter, P. M., Minard, K. R., Orr, G., Chrisler, W. B., Thrall, B. D., Pounds, J. G., and Teeguarden, J. J. (2010) ISDD: A computational model of particle sedimentation, diffusion and target cell dosimetry for *in vitro* toxicity studies. *Part. Fibre Toxicol.* **7**, 36.

Hoelting, L., Scheinhardt, B., Bondarenko, O., Schildknecht, S., Kapitza, M., Tanavde, V., Tan, B., Lee, Q. Y., Mecking, S., Leist, M., and Kadereit, S. (2013) A 3-dimensional embryonic stem cell (hESC)-derived model to detect developmental neurotoxicity of nanoparticles. *Arch. Toxicol.* **87**, 721–733.

Hopley, E. L., Salmasi, S., Kalaskar, D. M., and Seifalian, A. M. (2014) Carbon nanotubes leading the way forward in new generation of 3D tissue engineering. *Biotechnol. Adv.* **32**, 1000–1014.

Hsiao, I. and Huang, Y. (2011) Effects of various physicochemical characteristics on the toxicities of ZnO and TiO$_2$ nanoparticles toward human lung epithelial cells. *Sci. Total Environ.* **409**, 1219–1228.

Huh, D., Matthews, B. D., Mammoto, A., Montoya-Zavala, M., Hsin, H. Y., and Ingber, D. E. (2010) Reconstituting organ-level lung functions on a chip. *Science* **328**, 1662–1668.

Hussain, S. M., Hess, K. L., Gearhart, J. M., and Schlager, J. J. (2005) *In vitro* toxicity of nanoparticles in BRL 3A rat liver cells. *Toxicol. In Vitro* **19**, 975–983.

Hussain, S. M., Braydich-Stolle, L. K., Schrand, A. M., Murdock, R. C., Yu, K. O., Mattie, D. M., Schlager, J. J., and Terrones, M. (2009) Toxicity evaluation for safe use of nanomaterials: recent achievements and technical challenges. *Adv. Mater.* **21**, 1549–1559.

Jeannet, N., Fierz, M., Kalberer, M., Burtscher, H., and Geiser, M. (2015) Nano aerosol chamber for *in vitro* toxicity (NACIVT) studies. *Nanotoxicology* **9**, 34–42.

Jiang, W., Kim, B. Y. S., Rutka, J. T., and Chan, W. C. W. (2008) Nanoparticle-mediated cellular response is size-dependent. *Nat. Nanotechnol.* **3**, 145–150.

Johnston, H., Pojana, G., Zuin, S., Jacobsen, N. R., Moller, P., Loft, S., Semmler-Behnke, M., McGuiness, C., Balharry, D., Marcomini, A., *et al.* (2013) Engineered nanomaterial risk. Lessons learnt from completed nanotoxicology studies: potential solutions to current and future challenges. *Crit. Rev. Toxicol.* **43**, 1–20.

Kasper, J., Hermanns, M. I., Bantz, C., Maskos, M., Stauber, R., Pohl, C., Unger, R. E., and Kirkpatrick, J. C. (2011) Inflammatory and cytotoxic responses of an alveolar-capillary coculture model to silica nanoparticles: Comparison with conventional monocultures. *Part. Fibre Toxicol.* **8**, 6.

Kessler, R. (2011) Engineered nanoparticles in consumer products: understanding a new ingredient. *Environ. Health Perspect.* **119**, 120–125.

Khan, F. R., Misra, S. K., Garcia-Alonso, J., Smith, B. D., Strekopytov, S., Rainbow, P. S., Luoma, S. N., and Valsami-Jones, E. (2012) Bioaccumulation dynamics and modeling in an estuarine invertebrate following aqueous exposure to nanosized and dissolved silver. *Environ. Sci. Technol.* **46**, 7621–7628.

Khanbeig, A., Kumar, A., Sadouki, F., Lorenz, C., Forbes, B., Dailey, L. A., and Collins, H. (2012) The delivered dose: applying particokinetics to *in vitro* investigations of nanoparticle internalization by macrophages. *J. Control Release* **162**, 259–266.

Kim, B., Han, G., Toley, B. J., Kim, C., Rotello, V. M., and Forbes, N. S. (2010) Tuning payload in tumour cylindroids using gold nanoparticles. *Nat, Nanotechnol.* **5**, 465–472.

Kumar, V., Kumari, A., Guleria, P., and Yadav, S. K. (2012) Evaluating the toxicity of selected types of nanochemicals. *Rev. Environ. Contam. Toxicol.* **215**, 39–121.

Laurent, S., Burtea, C., Thirifays, C., Hafeli, U. O., and Mahmoudi, M. (2012) Crucial ignored parameters on nanotoxicology: the importance of toxicity assay modifications and "cell vision." *PLoS One* **7**, 1–9.

Lin, P. C., Lin, S., and Sridhar, R. (2013) Techniques for physicochemical characterization of nanomaterials. *Biotechnol. Adv.* **32**, 711–726.

Liu, H. H., Surawanvijit, S., Rallo, R., Orkoulas, G., and Cohen, Y. (2011) Analysis of nanoparticle agglomeration in aqueous suspensions via constant number Monte Carlo simulation. *Environ. Sci. Technol.* **45**, 9284–9292.

Love, S. A., Maurer-Jones, M. A., Thompson, J. W., Lin, Y. S., and Haynes, C. L. (2012) Assessing nanoparticle toxicity. *Annu. Rev. Anal. Chem.* **5**, 181–205.

Lu, Z., Qiao, Y., Zheng, X. T., Chan-Park, M. B., and Li, C. M. (2010) Effect of particle shape on phagocytosis of CdTe quantum dot-cystine composites. *Med. Chem. Commun.* **1**, 84–86.

Lundqvist, M., Stigler, J., Ella, G., Lynch, I., Cedervall, T., and Dawson, K. A. (2008) Nanoparticle size and surface properties determine the protein corona with possible implications for biological impacts. *Proc. Nat. Acad. Sci. U.S.A.* **105**, 14265–14270.

Macarron R., Banks M. N., Bojanic, D., Burns, D. J., Cirovic, D. A., Garyantes, T., Green, D. V. S., Hertzberg, R. P., Janzen, W. P., Paslay, J. W., Schopfer, U. and Sittampalam, G. S. (2011) Impact of high-throughput screening in biomedical research. *Nat. Rev. Drug Discov.* **10**, 188–195.

Manke, A., Wang, L., and Rojanasakul, Y. (2013) Mechanism of nanoparticle-induced oxidative stress and toxicity. *Biomed. Res. Int.* 2013, 942916.

Matejka, V. and Tokarsky, J. (2014) Photocatalytical nanocomposites: a review. *J. Nanosci. Nanotechnol.* **14**, 1597–1616.

Maurer, E. I., Sharma, M., Schlager, J. J., and Hussain, S. M. (2014) Systematic analysis of silver nanoparticle ionic dissolution by tangential flow filtration: Toxicological Implications. *Nanotoxicology* **8**, 718–727.

Min, Y., Akbulut, M., Kristiansen, K., Golan, Y., and Israelachvili, J. (2008) The role of interparticle and external forces in nanoparticle assembly. *Nat. Mater.* **7**, 527–538.

Misra, S. K., Nuseibeh, S., Dybowska, A., Berhanu, D., Tetley, T. D., and Valsami-Jones, E. (2014) Comparative study using spheres, rods and spindle-shaped nanoplatelets on dispersion stability, dissolution, and toxicity of CuO nanomaterials. *Nanotoxicology* **8**, 422–432.

Mitrano, D. M., Barber, A., Bednar, A., Westerhoff, P., Higgins, C. P., and Ranville, J. F. (2012) Silver nanoparticle characterization using single particle ICP-MS and asymmetrical flow field flow filtration ICP-MS. *J. Anal. Atom Spectrom.* **27**, 1131–1142.

Moller, W., Felten, K., Sommerer, K., Scheuch, G., Meyer, G., Meyer, P., Haussinger, G., and Kreyling, W. (2008) Deposition, retention, and translocation of ultrafine particles from the central airways and lung periphery. *Am. J. Respir. Crit. Care. Med.* **177**, 426–432.

Monopoli, M. P., Aberg, C., Salvati, A. and Dawson, K. A. (2012) Biomolecular coronas provide the biological identity of nanosized materials. *Nat. Nanotechnol.* **7**, 779–786.

Monteiller, C., Tran, L., MacNee, W., Faux, S., Jones, A., Miller, B., and Donaldson, K. (2007) The pro-inflammatory effects of low-toxicity low-solubility partiles, nanoparticles, and fine particles, on epithelial cells *in vitro*: the role of surface area. *Occup. Environ. Med.* **64**, 609–615.

Mukhopadhyay, A., Grabinski, C., Afrooz, A. R. M. N., Saleh, N. B., and Hussain, S. M. (2012) Effect of gold nanosphere surface chemistry on protein adsorption and cell uptake *in vitro*. *Appl. Biochem. Biotechnol.* **167**, 327–337.

Murdock, R. C., Braydich-Stolle, L. K., Shrand, A. M., Schlager, J. J., and Hussain, S. M. (2008) Characterization of nanomaterial dispersion in solution prior to *in vitro* exposure using dynamic light scattering techniques. *Toxicol. Sci.* **101**, 239–253.

National Institute of Occupational Safety and Health. (2011) Current Intelligence Bulletin 63: Occupational Exposure to Titanium Dioxide. DHHS (NIOHS) Publication Number 2011-160.

National Research Council. (2013) *Research Progress on Environmental, Health, and Safety Aspects of Engineered Nanomaterials*. National Academies Press, Washington, D.C.

Nel, A., Xia, T., Madler, L., and Li, N. (2006) Toxic potential of materials at the nanolevel. *Science* **311**, 622–627.

Nel, A. E., Madler, L., Velegol, D., Xia, T., Hoek, E. M., Somasundaran, P., Klaessig, F., Castranoa, V., and Thompason, M. (2009) Understanding biophysicochemical interactions at the nano-bio interface. *Nat. Mater.* **8**, 543–557.

Ng, C. T., Yung, L. Y., Swa, H. L., Poh, R. W., Gunaratne, J. and Bay, B. H. (2015) Altered protein expression profile associated with phenotypical changes in lung fibroblasts co-cultured with gold nanoparticle-treated small airway epithelial cells. *Biomaterials* **39**, 31–38.

Oberdörster, G., Maynard, A., Donaldson, K., Castranova, V., Fitzpatrick, J., Ausman, K., Carter, J., Karn, B., Kreyling, W., Lai, D., *et al.* (2005a) Principles for characterizing the potential human health effects from exposure to nanomaterials: elements of a screening strategy. *Part. Fibre Toxicol.* **2**, 8.

Oberdörster, G., Oberdörster, E., and Oberdörster, J. (2005b) Nanotoxicology: an emerging discipline evolving from studies of ultrafine particles. *Environ. Health Perspect.* **113**, 823–839.

Oomen, A. G., Bos, P. M., Fernandes, T. F., Hund-Rinke, K., Boraschi, D., Byrne, H. J., Aschberger, K., Gottardo, S., von der Kammer, F., Kuhnel, D., *et al.* (2014) Concern-driven integrated approaches to nanomaterial testing and assessment – report of the Nanosafety cluster working group 10. *Nanotoxicology* **8**, 334–348.

Podila, R. and Brown, J. M. (2013) Toxicity of engineered nanomaterials: a physicochemical perspective. *J. Biochem. Mol. Toxicol.* **27**, 50–55.

Poulsen, S. S., Saber, A. T., Williams, A., Andersen, O., Købler, C., Atluri, R., Pozzebon, M. E., Mucelli, S. P., Simion, M., Rickerby, D., *et al.* (2015) MWCNT of different physicochemical properties causes similar inflammatory responses, but

differences in transcriptional and histological markers of fibrosis in mouse lungs. *Toxicol. Appl. Pharmacol.* **284**, 16–32.

Richman, E. K., and Hutchison, J. E. (2009) The nanomaterial characterization bottleneck. *ACS Nano* **3**, 2441–2446.

Rivera, G. P., Oberdorster, G., Elder, A., Puntes, V., and Parak, W. J. (2010) Correlating physico-chemical with toxicological properties of nanoparticles: the present and the future. *ACS Nano* **4**, 5527–5531.

Rushton, E. K., Jiang, J., Leonard, S. S., Eberly, S., Castranova, V., Biswas, P., Elder, A., Han, X., Gelein, R., Finkelstein, J., and Oberdörster, G. (2010) Concept of assessing nanoparticle hazards considering nanoparticle dosemetric and chemical/biological response metrics. *J. Toxicol. Environ. Health, Part A* **73**, 445–461.

Saffari, H., Malugin, A., Ghandehari, H., and Pease, L. F. (2012) Electrostatic deposition of nanoparticles into live cell culture using electrospray differential mobility analyzer (ES-DMA). *J. Aerosol Sci.* **48**, 56–62.

Salata, O. V. (2004) Applications of nanoparticles in biology and medicine. *J. Nanobiotechnol.* **2**, 3.

Sapsford, K. E., Tyner, K. M., Dair, B. J., Deschamps, J. R., and Medintz, I. L. (2011) Analyzing nanomaterial bioconjugates: a review of current and emerging purification and characterization techniques. *Anal. Chem.* **83**, 4453–4488.

Sayes, C. M., Reed, K. L., and Warheit, D. B. (2007) Assessing toxicity of fine and nanoparticles: comparing *in vitro* measurements to *in vivo* pulmonary toxicity profiles. *Toxicol Sci.* **97**, 163–180.

Sayes, C. M., and Warheit, D. B. (2009) Characterization of nanomaterials for toxicity assessment. *Wiley Interdiscip. Rev. Nanomed. Nanobiotechnol.* **1**, 660–670.

Sharifi, S., Behzaki, S., Laurent, S., Forrest, M. L., Stroeve, P., and Mahmoudi, M. (2012) Toxicity of nanomaterials. *Chem. Soc. Rev.* **41**, 2323–2343.

Sharifi, S., Daghighi, S., Motazacker, M. M., Badlou, B., Sanjabi, B., Akbarkhanzadeh, A., Rowshani, A. T., Laurent, S., Peppelenbosch, M. P., and Rezaee, F. (2013) Superparamagnetic iron oxide nanoparticles alter expression of obesity and T2D-associated risk genes in human adipocytes. *Sci. Rep.* **3**, 2173.

Shete, H. K., Prabhu, R. H., and Patravale, V. B. (2014) Endosomal escape: a bottleneck in intracellular delivery. *J. Nanosci. Nanotechnol.* **14**, 460–474.

Sohaebuddin, S. K., Thevenot, P. T., Baker, D., Eaton, J. W., and Tang, L. (2010) Nanomaterial cytotoxicity is composition, size, and cell type dependent. *Part. Fibre Toxicol.* **7**, 22.

Stacy, B. M., Comfort, K. K., Comfort, D. A., and Hussain, S. M. (2013) *In vitro* identification of gold nanorods through hyperspectral imaging. *Plasmonics* **8**, 1235–1240.

Suntivich, J., Xu, Z., Carlton, C. E., Kim, J., Han, B., Lee, S. W., Bonnet, N., Marzari, N., Allard, L. F., Gasteiger, H. A., Hamad-Schifferli, K., and Shao-Horn, Y. (2013) Surface composition tuning of Au-PT bimetallic nanoparticles for enhanced carbon monoxide and methanol electro-oxidation. *J. Am. Chem. Soc.* **135**, 7985–7991.

Teeguarden, J. G., Hinderliter, P. M., Orr, G., Thrall, B. D., and Pounds, J. G. (2007) Particokinetics *in vitro*: dosimetry considerations for *in vitro* nanoparticle toxicity assessments. *Toxicol. Sci.* **95**, 300–312.

Toy, R., Hayden, E., Shoup, C., Baskaran, H., and Karathanasis, E. (2011) The effects of particle size, density and shape on margination of nanoparticles in microcirculation. *Nanotechnology* **22**, 115101.

Ucciferri, N., Collnot, E. M., Baiser, B. K., Tirella, A., Stone, V., Domenici, C., Lehr, C. M., and Ahluwalia, A. (2014) *In vitro*

toxicological screening of nanoparticles on primary human endothelial cells and the role of flow in modulating cell response. *Nanotoxicology* **8**, 697–708.

Untener, E. A., Comfort, K. K., Mauer, E. I., Grabinski, C. M., Comfort, D. A., and Hussain, S. M. (2013) Tannic acid coated gold nanorods demonstrated a distinctive form of endosomal uptake and unique distribution within cells. *ACS Appl Mater. Interfaces* **5**, 8366–8373.

Valencia, P. M., Farokhzad, O. C., Karnik, R., and Langer, R. (2012) Microfluidic technologies for accelerating the clinical translation of nanoparticles. *Nat. Nanotechnol.* **7**, 623–629.

van Broekhuizen, P., van Veelen, W., Streekstra, W. H., Schulte, P., and Reijnders, L. (2012) Exposure limits for nanoparticles: report of an international workshop on nano reference values. *Ann. Occup. Hyg.* **56**, 1–12.

Volckens, J., Dailey, L., Walters, G., and Devlin, R. B. (2009) Direct particle-to-cell deposition of coarse ambient particulate matter increases the production of inflammatory mediators from cultured human airway epithelial cells. *Environ. Sci. Technol.* **43**, 4595–4599.

Warheit, D. B., Webb, T. R., Reed, K. L., Frerichs, S., and Sayes, C. M. (2007) Pulmonary toxicity study in rats with three forms of ultrafine-TiO2 particles: differential responses related to surface properties. *Toxicology* **230**, 90–104.

Warheit, D. B. (2008) How meaningful are the results of nanotoxicity studies in the absence of adequate material characterization? *Toxicol. Sci.* **101**, 183–185.

Warheit, D. B., Sayes, C. M., and Reed, K. L. (2009) Nanoscale and fine zinc oxide particles: can *in vitro* assays accurately forecast lung hazards following inhalation exposures? *Environ. Sci. Technol.* **43**, 7939–7945.

Warheit, D. B. (2013) How to measure hazards/risks following exposures to nanoscale or pigment-grade titanium dioxide particles. *Toxicol. Lett.* **220**, 193–204.

Waters, K. M., Masiello, L. M., Zangar, R. C., Tarasevich, B. J., Karin, N. J., Queensberry, R. D., Bandyopadhyay, S., Teeguarden, J. G., Pouns, J. G., and Thrall, B. D. (2009) Macrophage response to silica nanoparticles are highly conserved across particle size. *Toxicol. Sci.* **107**, 553–569.

Watson, C., Ge, J., Cohen, J., Pyrgiotakis, G., Engelward, B. P., and Demokritou, P. (2014) High-throughput screening platform for engineered nanoparticle-mediated genotoxicity using CometChip technology. *ACS Nano* **8**, 2118–2133.

Winzen, S., Schoettler, S., Baier, G., Rosenauer, C., Mailaender, V., Landfester, K., and Mohr, K. (2015) Complementary analysis of the hard and soft protein corona: sample preparation critically effects corona composition. *Nanoscale* **7**, 2992–3001.

Wu, Y. L., Putcha, N., Ng, K. W., Leong, D. T., Lim, C. T., Loo, S. C., and Chen, X. (2013) Biophysical responses upon the interaction of nanomaterials with cellular interfaces. *Acc. Chem. Res.* **46**, 782–791.

Xia, T., Kovochich, M., Liong, M., Madler, L., Gilbert, B., Shi, H., Yeh, J. I., Zink, J. I., and Nel, A. E. (2008) Comparison of the mechanism of toxicity of zinc oxide and cerium oxide nanoparticles based on dissolution and oxidative stress properties. *ACS Nano* **2**, 2121–2134.

Xie, Y., Williams, N. G., Tolic, A., Chrisler, W. B., Teeguarden, J. G., Maddux, B. L., Pounds, J. G., Laskin, A., and Orr, G. (2012) Aerosolized ZnO nanoparticles induce toxicity in alveolar type II epithelial cells at the air-liquid interface. *Toxicol. Sci.* **125**, 450–461.

Yu, B., Zhang, Y., Zheng, W., Fan, C., and Chen, T. (2012) Positive surface charge enhances selective cellular uptake and anticancer efficacy of selenium nanoparticles. *Inorg. Chem.* **51**, 8956–8963.

Zhang, W. X., and Wang, T. J. (2007) Effect of surface energy on the yield strength of nanoporous materials. *Appl. Phys. Lett.*, **90**, 063104.

Zhang, H., Ji, Z., Xia, T., Meng, H., Low-Kam, C., Liu, R., Pokhrel, S., Lin, S., Wang, X., Liao, Y. P., *et al.* (2012) Use of metal oxide nanoparticle band gap to develop a predictive paradigm for oxidative stress and acute pulmonary inflammation. *ACS Nano* **6**, 4349–4368.

Zhu, Z. J., Wang, H., Yan, B., Zheng, H., Jiang, Y., Miranda, O. R., Rotello, V. M., Xing, B., and Vachet, R. W. (2012) Effect of surface charge on uptake and distribution of gold nanoparticles in four plant species. *Environ. Sci. Technol.* **46**, 12391–12398.